



## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office
Address COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Viginia 22313-1450
www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE CONFIRMATION NO. P-1672-1 10/057,049 01/24/2002 5491 Edward P. Hayes III 07/30/2003 20978 7590 LIBERT & ASSOCIATES EXAMINER 3 MILL POND LANE COMPTON, ERIC B P O BOX 538 SIMSBURY, CT 06070-0538 ART UNIT PAPER NUMBER 3726 DATE MAILED: 07/30/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	10/057,049	HAYES, EDWARD P.
	Examiner	Art Unit
	Eric B. Compton	3726
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum story period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).  Status		
1) Responsive to communication(s) filed on		
2a)☐ This action is <b>FINAL</b> . 2b)⊠ Thi	s action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. <b>Disposition of Claims</b>		
4)⊠ Claim(s) <u>1-19</u> is/are pending in the application.		
4a) Of the above claim(s) is/are withdrawn from consideration.		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-10,12,13 and 16-18</u> is/are rejected.		
7) Claim(s) <u>11,14,15 and 19</u> is/are objected to.		
8) Claim(s) are subject to restriction and/or election requirement.		
Application Papers		
9) The specification is objected to by the Examiner.		
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.		
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.		
If approved, corrected drawings are required in reply to this Office action.		
12) The oath or declaration is objected to by the Examiner.		
Priority under 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) All b) Some * c) None of:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>		
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).		
a) The translation of the foreign language provisional application has been received.  15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.		
Attachment(s)	<b>∆</b> □ 1-1-1 - 2	(DTO 440) D-z = (N-40)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s)</li> </ol>	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)
J.S. Patent and Trademark Office		

Application/Control Number: 10/057,049 Page 2

Art Unit: 3726

### **DETAILED ACTION**

### Claim Objections

1. Claim 3 is objected to because of the following informalities: in line 2, --a—should be inserted before "generally". Appropriate correction is required.

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-4, 8-10, 12-13, and 16-17, are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 5,058,257 to Freestone et al in view of U.S. Patent 1,120,947 to Langager.

Freestone et al disclose a tool for inserting and removing a pin for a bucket tooth. As best shown in Figure 10, the tool comprises: a body member (214) defining a contact edge (232); a drive shaft (240) on the body member having a longitudinal axis (see marked-up attachment), a proximal end (224) attached to the body member, and a distal end which terminates in a shaft tip (240); an anvil (226) on the body member having a striking surface (228) at one end, an opposite terminal end, and a longitudinal striking axis (see marked-up attachment), when extended past the terminal end,

Application/Control Number: 10/057,049

Art Unit: 3726

intersects the longitudinal axis of the drive shaft at an acute angle, the striking surface facing away from the shaft tip; and a handle space (260).

However, Freestone et al do not disclose the handle extends transversely from a plane being defined by the longitudinal axis of the drive shaft and the striking axis of the anvil.

Langager disclose a striking tool having a handle. The handle extends transverse from a plane defined by the longitudinal axis of the main shaft of the tool and the striking axis and the anvil of the tool.

Regarding claims 1 and 8, it would have been obvious to one of ordinary skill in the art, at the time of invention, to have provided a transversely extending handle to the tool of Freestone et al, in light of the teachings of Langager, in order to protect the hand while supporting the tool. Col. 1, lines 17-20.

Regarding claim 2, the anvil plate (226) of Freestone et al defines a striking surface in as much as Applicant's invention contemplates.

Regarding claim 3, as shown in Figure 10, esp. of Freestone et al the body member (214) defines a contact surface (rear section) that extends in a generally parallel relation to the longitudinal axis of the drive shaft.

Regarding claim 4, this claim requires a striking plate fixedly mounted along the rear edge of the body member and the anvil member is mounted on the striking plate perpendicular thereto. The language of this claim suggests the striking plate is a separable structural member from the anvil. Otherwise, the claim requires no other structural details. In Freestone et al, the anvil (actual striking member) is perpendicular

Application/Control Number: 10/057,049

Art Unit: 3726

with a striking surface of the body member, although the parts are integral. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided a separable anvil member fixed to the striking surface of the body, since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art. *In re Larson*, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965).

Regarding claim 9, the handle of Langager is removably attached to the body member can be configured to extend from either side of the body member by a threaded engagement (at 11).

Regarding claim 10, although the handle of Langager may be removable, it is nonetheless fixed mounted to the tool by a threaded engagement (at 11) once attached.

Regarding claims 12-13, Freestone et al, disclose, "a line drawn or extending perpendicular to an impact or striking face intersects the longitudinal axis of the tool at an acute angle" (col 8, lines 66-68). It is inherent, based on the Figure 10 (see marked-up copy) that the angle is between 40-60 degrees. However, although Freestone et al does not disclose a particular angle it would have been obvious to one having ordinary skill in the art at the time the invention was made to have used a 40-60 degree angle, since it has been held that discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233 (CCPA 1955). Furthermore, it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F. 2d 272, 205 USPQ 215 (CCPA 1980).

Art Unit: 3726

Regarding claim 16, Freestone et al disclose a method for removing a retaining pin using the tool are disclosed. See Figure 6. The steps of gripping the handle, aligning the tip of the drive shaft with the retaining pin, and striking the surface with a hammer, are inherently required to use of the tool of Freestone et al/Langager to remove a retaining pin.

Regarding claim 17, Freestone et al disclose a method for installing a retaining pin using the tool are disclosed. See Figure 5. The tool of Freestone et al has two distinctive orientations one for installing and removing pins. In the orientation for installing pins, the holder boss (194) can broadly be considered a drive shaft having a forward surface edge (122) or tip. The other structural features are essentially identical to the other orientation. See Figures. The steps of partially inserting the retaining pin into a hole, gripping the handle, aligning the tip of the drive shaft with the retaining pin, and striking the surface with a hammer, are inherently required to use of the tool of Freestone et al/Langager to install a retaining pin.

4. Claims 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Freestone et al/Langager as applied to claim 1 above, and further in view of U.S. Patent 5,012,567 to Hill.

Freestone et al/Langager disclose the invention cited above. However, they do not provide the striking plate with a tapered configuration.

Hill discloses an impact tool having an oversized anvil (40) and a member to transmit force, a striking to a striking plate (30). The force anvil and transmitting member (30) are provided with additional reinforcing plates (49) to buttress the impact of a

hammer. Col. 2, lines 59-63. The anvil is centered with respect to the force transmitting member. The narrow end of the taper of Hill faces away from the anvil, just like Applicant contemplates.

Regarding claim 5, it would have been obvious to one of ordinary skill in the art, at the time of invention, to have provided the striking plate with a tapered reinforcing configuration for the tool of Freestone et al/Langager, in light of the teachings of Hill, in order to provide additional reinforcement for impact with a hammer.

Regarding claim 6, the legs having a slot of Applicant correspond, generally to the design of the reinforcements of Hill, which receive the body member. Applicant uses a single plate, where Hill uses two distinctive plates for the same structure. It has been held that forming in one piece an article, which has formerly been formed in two pieces, and put together involves only routine skill in the art. *Howard v. Detroit Stove Works*, 150 U.S. 164 (1893).

Regarding claim 7, it has been held that the term "integral" is sufficiently broad to embrace constructions united by such means as fastening and welding. *In re Hotte*, 177 USPQ 326, 328 (CCPA 1973). In Hill the reinforcements (49) are joined to the anvil and force transmitting member by welds.

5. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Freestone et al/Langager as applied to claims 16 or 78 above, and further in view of U.S. Patent 4,240,771 to Derbyshire.

Freestone et al/Langager disclose the invention cited above. Specifically, they disclose a removable mounted handle.

However, they do not disclose the handle may be mounted to extend from either side of the tool to accommodate left-handed or right-handed users.

Page 7

Derbyshire disclose a tool having a removable handle that extends transversely from either side of the tool to accommodate left-handed and right-handed users alike.

Col. 3, lines 5-11.

Regarding claim 18, it would have been obvious to one of ordinary skill in the art, at the time of invention, to have provided a removable handle to accommodate both right-handed and left-handed user, to the tool of Freestone et al/Langager, in light of the teachings of Derbyshire, in order to accommodate both left-handed and right-handed users alike thus providing a "extremely versatile tool." *Id*.

### Allowable Subject Matter

- 6. Claims 11, 14-15, and 19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 7. The following is a statement of reasons for the indication of allowable subject matter:

Regarding claims 11 and 19, the prior art of record does not teach or suggest a tool or method for installing a retaining pin, comprising a drive shaft in combination with an adaptor sleeve that is placed over the drive shaft to receive the retaining pin, in combination with the other claimed subject matter. The prior art, esp. Freestone et al, discloses a tool having tool orientations to accomplish the installing and removing the

pin. With Applicant's use of an adaptor sleeve only one tool orientation is required for both.

Regarding claim 14-15, the prior art of record does not teach or suggest a tool for installing or removing retaining pins, comprising a shoe having a shim plate positioned between the contact surface and drive shaft, in combination with the other claimed subject matter. See Figure 4C.

### **Prior Art References**

The prior art references listed on the enclosed PTO-892, but not used in a rejection of the claims, are cited for their teachings of a pin installing/removal tool.

#### Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric B. Compton whose telephone number is (703) 305-0240. The examiner can normally be reached on M-F, 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory M. Vidovich can be reached on (703) 308-1513. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9302 for regular communications and (703) 872-9303 for After Final communications.

Application/Control Number: 10/057,049

Art Unit: 3726

Page 9

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1148.

Eric Compton
Patent Examiner

A/U 3726

July 28, 2003